

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

December 11, 2013

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-2103448, issued to EQT PRODUCTION COMPANY, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions,

please free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: 154061 BAKER 3

Farm Name: COASTAL LUMBER COMPANY

API Well Number: 47-2103448

Permit Type: Plugging
Date Issued: 12/11/2013

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

CK 16891

21034488

Date: /0-3/-/3
Operator's Well

Well No.

154061 Baker #3

API Well No.:

47 021 - 03448

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

41	APPLICATION FOR A PE	RMIT TO F	LUG AN	ND ABAND	ON		
4)	Well Type: Oil GasX Li If Gas, Production X Or Undergro	iquid Injectio ound storage	n		ste Disposa		X
5)	Elevation: 1149 Watershed: Location: 6LEWAL Gilmer 03 County: District:	Schoolhou Giln		of Heaters Fo		Gilmer 7.5'	365
6)	Well Operator Address: EQT Production Company 120 Professional Place Bridgeport, WV 26330	_ 7) _ /	Designate Address:		Rex C. Fofessional Poort, WV 263	lace	
	Oil & Gas Bryan Harris Name: P.O. Box 157 Address: Volga, WV 26238	1	Vame:	PO BOX 9	on Well Ser 95 on, WV 262		
10)	Work Order: The work order for the manner of See Attachment for details and procedures.	plugging this	s well is a	s follows:			
					Office	RECEIVED of Oil and (3as
					Di	EC 0 5 2013	
					WV E Environr	epartment mental Prote	of ection
	OFFICE	LICE ONLY					
	OFFICE	USE ONLY					
	Notification must be given to the district oil and gas i	inspector 24	hours be	fore permitt Date	ed work car	commence.	

PLUGGING PROGNOSIS -Weston

Barker # 3 (154061)

GILMER, COUNY, WEST VIRGINIA

API # 47-021-03448

ELEV: 1149 TO 1321

Burnsville Quad

BY:

Craig Duckworth

DATE: 9/13/13

CURRENT STATUS:

10" csg

@ 250' @ 719'

8 5/8" csg

2 3/8" tbg

@ 1295'(packer)

TD @ 1321'

Fresh Water @ None reported

Salt Water @ None reported

1st Salt Sand @ 1295'

Coal @ None reported

Gas shows @ 1295'(Salt Sand) Oil Shows @ None reported

Stimulation: Well produced natural (1,750,000)

- 1. Notify State Inspector, Bryan Harris 304-553-6087, 24 hrs. Prior to commencing operations.
- 2. Attempt to pull 2 3/8" & packer (1295'). If unable to pull 2 3/8" cut at top of packer@ 1295' and pull 2
- 3. TIH w/ tbg @ 1295'; Set 100' C1A Cement Plug @ 1295' to 1195' (gas show@ 1295' Salt Sand)
- 4. TOOH w/ tbg @ 1195'; gel hole @ 1195' to 769'.
- 5. TOOH w/ tbg, Free Point 8 5/8", cut 8 5/8" @ free point, TOOH w/ 8 5/8" csg
- 6. Set a 100' C1A Cement Plug 50' In/Out of cut. Perf all FW, Coal, Oil and Gas shows below 8 5/8" cut. Do not omit any plugs
- 7. TIH w/ tbg @ 769'; Set 100' C1A Cement Plug @ 769' to 669'(8 5/8" cag @ 719')
- 8. TOOH w/ tbg @ 8 5/8" 669; gel hole @ 669' to 300'
- 9. TOOH w/ tbg @ 300'; Set 300' C1A Cement Plug @ 300' to 0'(10" csg @ 250')
- 10. Top off as needed
- 11. Set Monument to WV-DEP Specifications
- 12. Reclaim Location & Road to WV-DEP Specifications

RECEIVED Office of Oil and Gas

NOV 01 2013

WV Department of Environmental Protection



STATE OF WEST VIRGINIA DEPARTMENT OF MINES

Oil and Gas Division

WELL RECORD

Quadrangle Gilmar 7.5

Rotary_ Cas XX Cable_XX Recycling Comb.

Permit No. 47-021-3448			Disposal	d Storage
Company Ferrell L. Prior Address 717 Union Trust Bldg. Farm Parkersburg, W. V. Acres 42	Casing and Tubing	Used in Drilling	Left in Well	Cement fill up Cu. ft. (Sks.)
Location (waters) Little Kanawha River Well No. one (1) District Glenville County Gilmer The surface of tract is owned in fee by Barker Hrs. Stouts Mills, W.V.	Sizc 20-16 Cond. 15" 13-10" 9 5/8	22 250	22	
Address Mineral rights are owned by Game Address	8 5/8 7 5 1/2	719	719	<u>.</u>
Drilling Commenced March 1. 1979 Drilling Completed April 10, 1979 Initial on flow 1,750,000 cu. ft. 0 bbls. Final oduction cu. ft. per day 0 bbls.	4 1/2 3 2 Liners Used			2 inch set on packer at 1295 feet
Well treatment details: Well produced natura	Attach copy of o	•		
Coal was encountered at None Fee Fresh water None Feet Producing Sand Salt Sand	Selt V	Inch	es	Feet
Formation Color Hard or Soft Top Feet	Bottom Feet			• Romarks

Formation Color Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or Water Remarks
soil	0	6	
sand	6	20	
slate	20	60	
samd	60	115	
red rock	115	130	_
slate	130	140	۶
sand	140	162	مَ ﴿
red rock	162	260	<u>'</u> ,
sand	260	270	·
red rock	270	300	\
slate	300	350	
slate & shale	350	360	9
red rock	360	390	
sand	390	405	RECEIVED
red rock	405	445	
slate&shale	445	515	Office of Oil and Gas
red rock	515	530	
slate	530	540	NAV 012013
sand	540	570	MOA 9 % 5019
slate	570	679	
sand	679	710	MM Denartment of
slate & shale	710	800	
sand	- 800	855	Environmental Profesti

^{*} Indicates Electric Log tops in the remarks section.

GIL- 3448

Formation	Color Hard or Soft	Top Feet	Bottom Feet	Oil Car of Water Control
	slate sand slate sand slate & shale sand slate sand slate sand slate sand	855 860 940 1035 1085 1140 1155 1255 1275	860 940 1035 1085 1140 1155 1255 1275 1295	
	TOTAL DEPTH	1321		1,580,000 Natural
•				
	•			
•				
		•		RECEIVED -

APPROVED APP

- VV: ि∏, ariment of Environmental Protection

-0	i	2 3	LATITUE	R 38 55
				•
	1	15'	• • • • • • • •	
·[*	1	} 		
	A	/ 혛	* ••	6 .
1	ľ	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
-2		oe 3 c		*Community of
North		40°, #1		8
	1 92	Gilly 309	Barker Heirs	dile
otic	_L_*•	East_		n ^{ot.}
du. Maanatië	74	1		stano (
1		BABA	•	\$ 57000 . 1 \$2 \$2
		BARKA	E.R.	1 2 k
]	1,5,	m28	•	/m K
	Heirs 15015	Figure 880	N 82.30.E 1690.	stonepile
		of of	N82°30'E 157	s 0
	Barkar North		. The state of the	South
I	Bark		9.	ر د م
·	7]		10°E	0 <u>7.5</u>
j			18101	
	ام الم	57/2		Statepile
	stoke o	3412	West	
	•	. / \	Barker Heirs .	. \
		Na.2 🔆 Elev=1150	OWNERSHIP	•
	•	Gilmer Ho	Fee ownership is vest	
		1399	Benjoi Barker Heirs, Go	
	•			•
				•
		Minimum Breer of C		
		Source of Elevation	Elex Well No 1 - shown = 860). '
		L the undersigned, he	reby certify that this map is correctly	A 40 A 20 A 40 A 40 A 40 A 40 A 40 A 40
Fracture New Locati		ledge and belief and and regulations of t	shows all the information required the oil and gas section of the mini	by paragraph 6 of the rules
Drill Deeper	_		Signed: Misther &	- S Or West August.
Abandonme	nt	Map No.	Squares: N 8	E W
Company_	Ferrull L. P.	rion	STATE OF WEST	VIRGINIA
		ldg. Parkershurg, W.Vo.	DEPARTMENT OF	f mines
	Barker Heirs	3	CHARLEST	
Tract	Acres <u>42</u>	Lease No		
	1) No. <u>bne</u>		WELL LOGAT	. ^ 1
	Spirit Level) <i>886</i>		FILE NO. 47 - C	21-3448
		Burnsville 15		
	Wohler Dis	strict G/anvi//c	+ Denotes location of well Topographic Maps, scale 1	to 24,000 letitude
-	Registration No/2		Topographic Maps, scale 1 and longitude lines bein border lines as shown	represented by
File No	Drav	wing No.	- Denotes one inch spaces	m half ingction
Date Marca	41. 1979 Scal	e <u>/" = 500 '</u>	Denotes one inch spaces original tracing	AN INTERIOR TIME OF
TRASCO 200 8-78				

WW-4-A Revised 6/07

1)	Date:	10-	31-1	3				
2)	Operator's Well Number							
	154061 Baker #3							
3)	API Well No.:	47	021	-	03448			
		State	County		Permit			

STATE OF WEST VIRGINIA - BUREAU OF ENVIRONMENT
DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL & GAS
NOTICE AND APPLICATION TO PLUG AND ABANDON WELL

4)	Surface Owner(s) to be served:		5) (a) Coa	l Operator:
	(a) Name	Coastal Lumber Company	V	Name	None
	Address	Attn: Ed Kraynok		Address	
		P.O. Box 709			
		Buckhannon, WV 26301			
	(b) Name		 -	(b) Coal Ov	vner(s) with Declaration
	Address			Name	Coastal Lumber Company
					Attn: Ed Kraynok
				Address	P.O. Box 709
					Buckhannon, WV 26301
	(c) Name			Name	
	Address			Address	
		<u></u>			
3)	Inspector	Bryan Harris		(c) Coal Le	ssee with Declaration
	Address	P.O. Box 157		Name	None
		Volga, WV 26238		Address	
	Telephone	304-533-6087			

TO THE PERSONS NAMED ABOVE:

You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Division of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

Well Operator:	_	EQT Produ	uction Company
V OFFICIAL SEAL 1	-		Supervisor
Notary Public, State Of West Virginits NICHOLAS L. BUMGARDNER Address:	1. To 1.	PO Box 28	
Rt. 1 Box 4		Bridgepor	t, WV 26330
Liberty, WV 25124 My Commission Expires June 27, 20 Telephone:		(304) 848-	0076
Subscribed and sworn before me this		day of	OCTUBER, 20B
	1		Notary Public
My Commission Expires: 4 21	12018	£	

The Office of Oil & Gas processes your personal information, such as name, address and phone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

WW-9 Revised 2/03

Page of						
2) Operator's Well Number						
154061 Baker #3						
3) API Well No: 47	021 - 03448					

STATE OF WEST VIRGINIA

DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL & GAS CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name:	EQT PRODUCTION	COMPANY	OP ID:	
Watershed:	Schoolhouse Run	of Heaters Fork	Quadrangle:	Gilmer 7.5'
Elevation:	1149 Cou	nty: Gilmer	District:	Gilmer Glenville
Description of antici	pated Pit Waste:		Formation Fluids	
Do you anticipate us Will synthetic liner b		100 m	the proposed well work? what ml.?	Yes No <u>X</u>
Drilling medium anti	Reuse (at API Nur Offsite Disposal P Other: Explain cipated for this well? A	ction - UIC Permit Numb mber) ermit #. sir, freshwater, oil based		
If oil bas Additives to be used	ed, what type? Synthet d?	tic, petroleum, etc.		
Will aloned loop ave	tom be used?			
Will closed loop sys Drill Cuttings dispos		it, landfill, remove offsite	e etc	
-		medium will be used? Ce	XXX	
	offsite name/permit numb			
issued on August 1, understand that the permit and/or other I certify under penal application form and for obtaining the info	2005, by the Office of oppositions of the perminapplicable law or regulate ty of law that I have perminally attachments theretormation, I believe that for submitting false information.	Oil and Gas of the West tare enforceable by law ation can lead to enforce conally examined and a condition and that, based on my the information is true, a cormation, including the properties.	Virginia Division of Envi Violations of any terms ment action. m familiar with the inforr inquiry of those individu	s or condition of the general mation submitted on this als immediately responsible am aware that there are
0. (
	ial (Typed or Printed)	Value of the second of the sec		
Company Offic		Permitting Supervis		
Subscribed and	sworn before me this	day of	OCTOBER	, 2013

RECEIVED
Office of Oil and Gas

OPERATOR'S WELL NO.: 154061 Baker #3

LEGEND

Property Boundary	A	- Diversion	4/1/	////
WV Departme Engironmental Pr	ent of rotection	Spring	Wet Spot	
======================================		O	-65-	
Planned Fence	Drain Pi	pe with size in inches	Water W	/ay
//_/		— ⑩ ——▶	G-C-	
Existing Fence X X X X	/ St	ream	Cross Drai	
Open Ditch	-	cial Filter Strip	Rock	
North	Building	Water well	Drill site	
N		W	\oplus	
	>		(=====================================	シ
Proposed Revegetation Treatme	ent: Acres Disturbed:	1± Prevegetati	on pH	5.8
			on pH	5.8
	s/acre or to correct	to pH6.5	-	
Lime 3 Ton Fertilizer (10-20-20) or equ	s/acre or to correct	to pH 6.5	-	5.8 lbs minimum)
Lime 3 Ton Fertilizer (10-20-20) or equ	s/acre or to correct uivalent	to pH 6.5 1/3 ton d.	-	
Lime 3 Ton Fertilizer (10-20-20) or equ	os/acre or to correct uivalent os/acre or hydrosee	to pH 6.5 1/3 ton d.	-	
Lime 3 Ton Fertilizer (10-20-20) or equ Mulch 2 Ton	os/acre or to correct uivalent os/acre or hydrosee	to pH 6.5 1/3 ton d.	lbs/acre (500	
Lime 3 Ton Fertilizer (10-20-20) or equ Mulch 2 Ton Area I Seed Type KY-31	us/acre or to correct uivalent us/acre or hydrosee SEED MIXT	to pH 6.5 1/3 ton d.	lbs/acre (500	lbs minimum) Ibs/acre
Lime 3 Ton Fertilizer (10-20-20) or equ Mulch 2 Ton Area I Seed Type KY-31 Alsike Clover	us/acre or to correct uivalent us/acre or hydrosee SEED MIXT	to pH 6.5 1/3 ton d. TURES Seed Type	lbs/acre (500	lbs minimum)
Lime 3 Ton Fertilizer (10-20-20) or equ Mulch 2 Ton Area I Seed Type KY-31	us/acre or to correct uivalent us/acre or hydrosee SEED MIXT Ibs/acre	to pH 6.5 1/3 ton d. TURES Seed Type Orchard Grass	lbs/acre (500	lbs minimum) Ibs/acre 15
Lime 3 Ton Fertilizer (10-20-20) or equ Mulch 2 Ton Area I Seed Type KY-31 Alsike Clover	is/acre or to correct uivalent s/acre or hydrosee SEED MIXT Ibs/acre	to pH 6.5 1/3 ton d. TURES Seed Type Orchard Grass	lbs/acre (500	lbs minimum) Ibs/acre 15
Lime 3 Ton Fertilizer (10-20-20) or equ Mulch 2 Ton Area I Seed Type KY-31 Alsike Clover	is/acre or to correct uivalent is/acre or hydrosee SEED MIXT Ibs/acre 40 5 15	to pH 6.5 1/3 ton d. TURES Seed Type Orchard Grass Alsike Clover	lbs/acre (500	lbs minimum) Ibs/acre 15
Lime 3 Ton Fertilizer (10-20-20) or equ Mulch 2 Ton Area I Seed Type KY-31 Alsike Clover Annual Rye ATTACH: Drawing(s) of road, location, p Photocopies section of involve	is/acre or to correct uivalent is/acre or hydrosee SEED MIXT Ibs/acre 40 5 15	to pH 6.5 1/3 ton d. TURES Seed Type Orchard Grass Alsike Clover	lbs/acre (500	lbs minimum) Ibs/acre 15
Lime 3 Ton Fertilizer (10-20-20) or equ Mulch 2 Ton Area I Seed Type KY-31 Alsike Clover Annual Rye ATTACH: Drawing(s) of road, location, p Photocopies section of involved plan approved by:	is/acre or to correct uivalent is/acre or hydrosee SEED MIXT Ibs/acre 40 5 15	to pH 6.5 1/3 ton d. TURES Seed Type Orchard Grass Alsike Clover	lbs/acre (500	lbs minimum) Ibs/acre 15

Gilmer 7.5' Scale: 1 " = 2000' Topo Quad: Gilmer October 17, 2013 Date: County: Project No: 25-19-00-07 Glenville District: Topo 47-021-03448 WV 154061 (Barker #3) Rocky Wells Fork Tumbling Hollow Fork Canfield Henters Snyder Cem Gas Well Barker 1219 47-021-03448 Locust WV 154061 Knob NAD 27, South Zone N: 690,120.47 E: 2,094,882.51 WGS 84 LAT: 38.894820 LONG: 80.666470 ELEVI 1148.53 Gas Gas Welle PREPARED FOR: NOV 01 2013 SURVEYING AND MAPPING SERVICES PERFORMED BY: ALLEGHENY SURVEYS, INC. **EQT Production Company** 1-800-482-8606 115 Professional Place P.O. BOX 438 BIRCH RIVER, WV 26610 Bridgeport, WV 26330 PH: (304) 649-8606 FAX: (304) 649-8608

WW-7 8-30-06



West Virginia Department of Environmental Protection Office of Oil and Gas WELL LOCATION FORM: GPS

API: 47-021-03448 WELL NO.:	WV 154061 (Barker #3)	<u>.</u>
FARM NAME: Barker		<u>.</u>
RESPONSIBLE PARTY NAME: EQT Produc	ction Company	<u>.</u>
COUNTY: Gilmer DISTR	ICT: Glenville	<u>.</u>
QUADRANGLE: Gilmer 7.5'		<u>.</u>
SURFACE OWNER: Coastal Lumber Company	ıy	<u>.</u>
ROYALTY OWNER: Elaine Arbogast, et al.		<u>.</u>
UTM GPS NORTHING: 4305158		
UTM GPS EASTING: 528924 GPS	ELEVATION: _350 m (1149 ft)	<u>.</u>
The Responsible Party named above has chosen to preparing a new well location plat for a plugging perabove well. The Office of Oil and Gas will not accept the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Conheight above mean sea level (MSL) – modern and the processed (MSL) – modern and the processed Difference and the	permit or assigned API number on the sept GPS coordinates that do not meet coordinate Units: meters, Altitude: neters. The second of the seco	
St. Of	0 - 4	CEIVED
Signature Interest is	Title	f Oil and Gas / 01 2013
Date	TYO V	V 1 (UI)

WV Department of Environmental Protection



POTENTIAL WATER SAMPLE DATA SHEET

CLIENT: EQT PRODUCTION COMPANY INC. LEASE NAME AND WELL No. <u>Barker #3 WV 154061 (47-021-03448)</u>.

POTENTIAL SAMPLE LOCATIONS

There appears to be no known water samples within the required 1000' of the existing well WV 154061.

BIRCH RIVER OFFICE

P.O. Box 438 * 237 Birch River Road Birch River, WV 26610 phone: 304-649-8606

fax: 304-649-8608

BRIDGEPORT OFFICE

172 Thompson Drive Bridgeport, WV 26330 phone: 304-848-5035 fax: 304-848-5037

CALDWELL OFFICE

212 Cumberland Street Caldwell, OH 43724 phone: 740-305-5007 fax: 740-305-5126

RECEIVED Office of Oil and Gas

ALUM CREEK OFFICE

P.O. Box 108 * 1418 Childress Road Alum Creek, WV 25003 phone: 304-756-2949 fax: 304-756-2948 f

WWW.ALLEGHENYSURVEYS.COM

Topo Quad:_	Gilmer 7.5'	Scale:	1 " = 2000'	
County:	Gilmer	Date:	October 17, 2013	
District:	Glenville	Project No:	25-19-00-07	
Water	47-021-03448 W	/V 154061 (B	arker #3)	
No potentia	Lwater wells within 1000',	OII/		
Oil Wells	Day Salas		Rocky	
			Form	
1276	Oil Well Well			
40110 Uanfield Gem	Manual Ma		Tumbting	ias reil°
	por code	311/10/		
Snyder Cem	Oil ioes in Heate 18	Gas Well	The Market of Well	\$ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
Br	ch Locust	Gas 3 47-1	021-03448 V 154064	Red 100
	Knob	and the same of th		
	Gas Atjongsheat			1019
Mille			NAD 27, South 2 N: 690,120.47 E: 2,094,882.51	Zone
Gas Well s	Ners Ners		WGS 84 LAT: 38.894820 LONG: -80.6664 ELEV: 1148.53	70
EGHENIUS ALIVIES	SURVEYING AND MAPPING SERVICES PERF	ORMED BY:	EQT Production Compa	
PVEYS	1-800-482-8606 P.O. BOX 438 BIRCH RIVER, WV 26610 PH: (304) 649-8606 FAX: (304) 649-8608		115 Professional Place P.O. Box 280 Bridgeport, WV 26330	